MJM 36 Z 2016



Main Info

Price	Length	Built	Model
€525000	10.97	2016	36 Z

Builder	Location	Accomodation	Draft
MJM	Corfu, Greece	1	0.75

VAT	Engine Type	Engine Hours	Engine HP
Not Paid	2 x Yanmar 6BY	300	260

Beam
3.35

Overview

Step into the world of luxury with the 2016 MJM Yachts 36Z. This yacht is not just a vessel; it's a statement of refined elegance and lavish living. Impeccably maintained and exquisitely designed, it sets the standard for opulence on the water. The cabin is a haven of comfort and sophistication, boasting luxurious furnishings and meticulous attention to detail. With its discreet yet distinguished aesthetics, it whispers of indulgence and sophistication. Experience the pinnacle of luxury with every detail, reflecting the meticulous care and attention it has received.

Contact us for more information !

Specifications

Engine 1

- 2016 Yanmar 6BY
- Type: Inboard
- Fuel Type: Diesel
- Hours: 299
- Drive Type: Stern Drive
- Power: 260 hp

Engine 2

- 2016 Yanmar 6BY
- Type: Inboard
- Fuel Type: Diesel
- Hours: 300
- Drive Type: Stern Drive
- Power: 260 hp

Dimensions

- LOA: 10 m 97 cm
- Beam: 3 m 35 cm
- Max Draft: 0 m 75 cm

Weights

- Displacement: 5,950 kg

Tanks

- Fuel: 760 l
- Fresh Water: 370 l

- Guest Cabins: 1
- Guest Heads: 1

Ancillary Equipment

- Reverse Heat Cycle Air Conditioner MarineAir 16000 BTU
- Heater Wallas 40D 12-volt thermostatically controlled diesel heater with air ducts in the wheelhouse, cabin and saloon
- Pressure hot/cold water for galley with Jabsco SensorMax 17 microprocessor controlled pump with variable-speed water pressure
- Three Rule 1100 automatic electric bilge pumps in bow and amidships compartments isolated by the main bulkhead under the wheel
- Stand-by manual bilge pump of increased productivity Bosworth with the drive from the cabin
- Centralized gray water drainage through the transom to minimize hull penetrations
- Marina fresh water inlet
- Led lights
- Watermaker Shenker ZEN 50 12 V
- Wastewater pan with strainer and transparent viewing window for shower, refrigerator, and air conditioner condensate
- Boiler: 39L
- Racor 500 series fuel filters with replacement cartridges

Electrical Equipment

- Electric anchor winch LEWMAR
- Standard 12V 150A generators
- Electronic steering with joystick Volvo Penta
- Electric transom plates Lenco cantilever
- Illuminated electrical panel, 12 V DC circuit breakers
- Service batteries with a capacity of 400 Ah
- Starting batteries of engines with 2 x batteries 100 Ah each
- Starting battery of diesel generator 100 Ah
- All batteries, if necessary, work in parallel 700 Ah
- Shore power system 230 V
- 12/3000 Inverter / Charger Victron MultiPlus
- Diesel generator Northern Lights 5KW M673D, 1800 rpm with 86 Hours
- Led lights
- Engine compartment lighting
- 12 V sockets
- Anodes & galvanic isolator

Navigation & Communication Equipment

- Horn AFI Stainless Dual Trumpet Electric Horn
- Chart-plotter Raymarine E125 Hybrid Touch w / integral WiFi for iPad and Navionics
- Platinum Plus XL chip Chartplotter Raymarine E165 Touch Screen Display
- Fishfinder 350W Airmar Gemeco depth sensor with i70R multi-function display
- Radar Raymarine 24 ”4 KW HD color radar
- VHF Raymarine 218
- Autopilot Raymarine
- Sky Hook Seastation Positioning System

- Fishfinder Raymarine CP 570 Professional CHIRP Sonar Module
- 24'' Edson Steering Wheel
- Alarm system with notification to the phone and PC about the boat’s GPS coordinates, the voltage in the boat network, and the water level in the hold

Domestic Equipment

- Freeze
- Freezer
- Muave Microwave
- Kenyon Electric Stove
- Sink

Accommodation

- Master Cabin with a Double Bed, TV and En Suite Facilities

Deck Equipment

- High-tech composite construction under vacuum using oven post-cured epoxy impregnated, stitched biaxial E-glass and water resistant 1” AIREX C70 foam core.
- Solid glass or high compression Penske Board core in way of all thru bolted hardware and over-sized epoxy G-10 pressure- laminated composite backing plates for all cleats and stanchions.
- Hull to deck fused together as monocoque structure with cyano-acrylate adhesive with shear strength of 1.5 tons per square inch and with mechanical fasteners of the gunwale guard on 8-10” centers.
- Exceptionally strong, fully-molded (inside & out) and gel-coated windshield frame/posts with hardtop.
- Convertible pilothouse enclosed by clear, weather tight, zippered roll-up in place, StrataGlass windows Window in aft entry door has combo window/screen
- Dual fully-opening windshields with safety glass and electric wiper/washers. Electro powered.

- Stidd 500N Low-Back Admiral Recliner Piloting Seats on adjustable pedestal that lowers to allow chairs to swivel 360 degrees for living room setting.
- Removable teak single-leaf dining table
- Stainless 1-1/4” bow rail with ITT Jabsco 400,000 cp halogen spotlight and 16” teak burgee staff.
- Muir windlass, polished stainless bow guard, bow roller, self-launching Lewmar claw anchor w/250’ rode/Chain and high-pressure fresh-water, chain/rode washer operable from helm.
- Deck drains divert dirt/soot/dew/rain into gray water system and out transom...rather than onto topsides.
- 12» custom 316L stainless custom bow cleats (2) and 10” side-deck and stern cleats (4) with matching bow chocks (2) having 22mm opening
- 316L Stainless 1” handrails (6 pairs) on cabin trunk, pilothouse roof, side windshield frame, aft of pilothouse for boarding and under pilothouse roof aft of piloting chairs and companionway entrance.
- Molded side-deck access steps (P&S) in cockpit.
- Large storage compartment under cockpit sole with hinged lids, Systems compartment w/hatch under pilothouse sole.
- 20”W x72”L x40”H pilothouse settee lockers P&S w/piston-activated lockable lids.
- Lockers have vinyl flooring and mesh storage bags for fenders, dock lines, power cords, hoses, mountain bike, hard luggage and/or golf club storage.
- Teak storage drawers (2) under piloting seats.
- Pilothouse settees with UltraLeather cushions and backrests in color of choice. Settees convert to 6.5’ berths with natural latex memory foam cushions.
- Lewmar 20”x20” (2x) hatches in saloon, 10”x10” (2x) in galley and head and Lewmar 15”x20” (2x) vent hatches in pilothouse with Ocean screen/shades.
- 4 x opening cabin trunk portlights with screens/shades.
- Gloss-varnished teak bi-fold companionway door and 4- section hinged cover with brass combo lock.
- Aft cockpit seat doubles as engine cover, hinging upward 45 degrees on power screw lifts for engine access with bolstered UltraLeather bottom and backrest cushions and Stamoid weather cover.
- Two aft-facing cockpit seats with storage lockers and bottom cushions.
- Teak flagstaff

- Custom Armstrong swimming ladder
- Dometic Vacuflush toilet with 68-liter storage tank and freshwater flush
- Navigation & Anchor lights
- Flame retardant fuel hoses with steel wire braid Parker 221FR USCG Class 1
- Spinning rod holders 4 pcs on rails and 3 pcs on the transom
- Digital engine display for tachometer/hours, oil pressure, water temperature, fuel level, fuel consumption and more. The Yanmar CANplus® 600 (CP600 ™) control panel i4.25 ”diagonal LCD
- Fusion Stereo
- Amplifier
- MP3/ iPod Connector
- 6 x Bose Speakers































